

SAFETY DATA SHEET

ADH215 – Black Adhesive Sealant 310ml

1 – IDENTIFICATION OF THE SUBSTANCE / REPARATION AND THE COMPANY

Product name BLACK ADHESIVE SEALANT 310ml

Company Autogem Invicta Limited
Unit 6 Space Business Park
Abbey Road
London
Middlesex
NW10 7SU
England
sales@autogem.co.uk
www.autogem.co.uk

Telephone +44 (0)208 838 0910

Fax +44 (0)208 838 1854

2 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Mixture based on polyurethane prepolymer.

Hazardous ingredients =1% and toxic ingredients = 0,1%	CAS Number	Einecs Number	Weight %	Danger Symbol	Risk Phrases
Calcium oxide	1305-78-8	215-138-9	1-2,5	Xi	37/38-41
Solvent naphtha (petroleum), light aromatic	64742-95-6	265-199-0	2,5-10	Xn, N	10-37-51/53-65-66
Diphenylmethane-4,4'-di-isocyanate (MDI)	101-68-8	202-966-0	1-5	Xn	20-36/37/38-42/43

3 – HAZARDS IDENTIFICATION

Potential health effects May cause sensitisation by inhalation and skin contact.
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

4 – FIRST AID MEASURES

Eyes: In case of contact flush eyes immediately with plenty of water for at least 15 minutes. Lift eyelids and rinse well underneath them. Get medical attention if irritation persists.

Mouth (ingestion): Rinse mouth with water several times. Consult a physician and show this Safety Data Sheet.

Lungs (inhalation): Fresh air and rest. Get medical attention if complaint persists.

Skin: Remove completely with a dry cloth or paper towel, before washing with detergent and water. Get medical attention if irritation persists.

Clothes: Remove polluted clothing.

5 – FIRE FIGHTING MEASURES

Suitable extinguishing media: CO₂, powder, foam and water spray.

Unsuitable extinguishing media: Unknown.

Special fire fighting procedures: Wear protective clothing and breathing apparatus.

6 - ACCIDENTAL RELEASE MEASURES

Environmental precautions: Keep away from drains and watercourses.

Clean up procedures: Wipe, scrape or soak up in inert material and put in a container for disposal. When using do not eat, drink or smoke. Wash hands after work and before breaks

Personal precautions: Wear proper protective equipment as described in the 'eye and skin protection' section of chapter 8. Don't rub eyes with dirty hands.

7 – HANDLING AND STORAGE

Handling: Handle in well-ventilated area. Avoid contact with skin, eyes and do not swallow.

Storage: Store in closed packing between 5°C and 25°C away from direct sunlight and other sources of heat.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limit: MAC-TGG (8h) Solvent naphtha (petroleum), light aromatic: 50 ppm
Diphenylmethane-4, 4'-di-isocyanate (MDI): 0,01 ppm

Respiratory protection: Avoid breathing the vapour. Maintain good ventilation.

Eye and skin protection: Avoid contact with skin and eyes. Wear safety glasses.

Industrial hygiene:

9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state: paste

Colour: miscellaneous

Odour: hydrocarbon

Density (water=1) : 1,15-1,19 g/ml

PH (water=7) : Unk

Boiling point (water =100): Unk °C

Freezing point (water = 0): Unk °C

Flash point : >61 °C

Lower explosion limit: Unk vol-%

Upper explosion limit: Unk vol-%

Ignition temperature : Unk °C

Vapour pressure : Unk mbar

Mixable with water: no

Mixable with organic solvents: partly

VOC-content: 7-8 Weight-%

10 – STABILITY AND REACTIVITY

Hazardous decomposition products: In case of fire: isocyanate, CO, CO₂, NO_x, HCl, HCN, SO₂.

Materials to avoid: Unknown.

Conditions to avoid: Unknown.

11 – TOXICOLOGICAL INFORMATION

Product information Diphenylmethane-4,4'-di-isocyanate

Acute oral LD50 (mg/kg) : >15000

Acute dermal LD50 (mg/kg): Unknown

Acute inhalation LC50 (mg/l): 0,49

Other information: Unknown

12 – ECOLOGICAL INFORMATION

Avoid uncured product will come in the environment.

Degradability:	Unknown.
Ecotoxicity :	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
WGK (Germany):	Unknown.

13 – DISPOSAL CONSIDERATIONS

Dispose in accordance with federal, state and local legislation.

Waste code (Germany): 080409

14 – TRANSPORT INFORMATION

By sea according IMDG-Code:	Not applicable.
By land according ADR:	Not applicable.
By air according ICAO/IATA-DGR:	Not applicable.
UN-number:	Not applicable.
Proper shipping name:	Not applicable.

15 – REGULATORY INFORMATION

To the labelling requirements of EC Directives 67/548/EC and 1999/45/EC:

Danger symbol :	Xn Harmful
Contains :	Diphenylmethane-4,4'-di-isocyanate
R-phrases :	42/43 May cause sensitisation by inhalation and skin contact 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrases :	2 Keep out of reach of children. 23 Do not breathe vapour. 36/37 Wear suitable protective clothing and gloves. 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). 46 If swallowed, seek medical advice immediately and show this container or label. 63 In case of accident by inhalation: remove casualty to fresh air and keep at rest.
Extra :	Contains isocyanates. See information supplied by the manufacturer.
For DIY user :	Tactile warning applicable.

16 – OTHER INFORMATION

This product safety data sheet conforms to EC Directive 91/155/EEC as well as its amendments including 2001/58/EC. This data is offered in good faith as typical values and not as product specifications. No warranty either expressed or implied, is hereby made. The recommended industrial and safe handling procedures are believed to be generally applicable, each user should review the recommendations in the specific context of the intended use and determine whether they are appropriate.

NA :	Not Applicable
Unk :	Unknown