



SAFETY DATA SHEET

PART No. TRL105

1 **PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: TRL105 TYREFIT PASTE 5KG
PRODUCT CODE: TRL105
COMPANY NAME: Autogem Invicta Ltd.
Autogem House
Abbey Road,
Park Royal
London NW10 7GJ
TEL: 00 44 (0) 208 838 0910
E-mail: sales@autogem.co.uk

2 **HAZARDOUS INGREDIENTS**

	Conc.	CAS	EINECS	Symbols/Risk phrases
Mono ethylene glycol (Ethane-1,2-diol vapour)	1 - 10%	107-21-1	203-473-3	Xn; R22

Description: Non hazardous

3 **HAZARDS IDENTIFICATION**

Main hazards: No Significant Hazard

4 **FIRST AID MEASURES**

Skin contact: Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Eye contact: Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Ingestion: Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

5 **FIRE FIGHTING MEASURES**

Extinguishing media: Carbon dioxide (CO2)
Fire hazards: Burning produces irritating, toxic and obnoxious fumes.
Protective equipment: Wear suitable respiratory equipment when necessary.



SAFETY DATA SHEET

PART No. TRL105

6 ENVIRONMENTAL RELEASE MEASURES

Personal precautions: Avoid raising dust. Ensure adequate ventilation of the working area. Wear suitable protective equipment.

Environmental precautions: Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods: Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

7 HANDLING AND STORAGE

Handling: Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

Storage: Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

Mono ethylene glycol:	WEL 8-hr limit ppm: 20	WEL 8-hr limit mg/m ³ : 52
(Ethane-1,2-diol vapour)	WEL 15 min limit ppm: 40	WEL 15 min limit mg/m ³ : 104

Mono ethylene glycol:	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m ³ : 10
(Ethane-1,2-diol particulate)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m ³ : -

Engineering measures: Ensure adequate ventilation of the working area.

Respiratory protection: Wear: Suitable respiratory equipment.

Hand protection: Chemical resistant gloves (PVC)

Eye protection: Approved safety goggles.

Protective equipment: Wear chemical protective clothing.

9 PHYSICAL QND CHEMICAL PROPERTIES

Description:	Solid
Colour:	White
Odour:	Odourless
Ph:	9+/- 0.5
Water solubility:	miscible in water.

10 STABILITY AND REACTIVITY

Stability Stable: under normal conditions.

11 TOXICOLOGICAL INFORMATION

Toxicological information: No known adverse health effects.

Acute toxicity: May cause sensitisation by skin contact.



AUTOGEM
SAFETY DATA SHEET
PART No. TRL105

12 **ECOLOGICAL INFORMATION**

Ecotoxicity: No known adverse environmental effects.

13 **DISPOSAL CONSIDERATIONS**

General information: Dispose of in compliance with all local and national regulations.

14 **TRANSPORT INFORMATION**

Further information: The product is not classified as dangerous for carriage.

15 **REGULATORY INFORMATION**

Labelling: The product is classified in accordance with 67/548/EEC.

Risk phrases

16 **OTHER INFORMATION**

Text of risk phrases in Section 2: R22 - Harmful if swallowed.

Further information: The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. As the application of products is outside our control, the information is given without legal responsibility. Customers should test under their own conditions to ensure the products are suitable for their own requirements.



SAFETY DATA SHEET

PART No. TRL105