

# SAFETY DATA SHEET

## TRL107 – BLUE TYRE CREAM 5Kg

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

**Product name** TRL107– BLUE TYRE CREAM 5kg  
**Company** Autogem Motor Concepts LLP  
 Unit 6 Space Business Park  
 Abbey Road  
 London  
 NW10 7SU  
 United Kingdom  
 sales@autogem.co.uk  
 www.AUTOGEM.CO.UK

**Tel** +44 (0) 20 8838 0910  
**Fax** +44 (0) 20 8838 1854

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EINECS No.	REACH Registration Number	Conc. (%w/w)	Classification
<b>Mono ethylene glycol</b> (Ethane-1,2-diol particulate)	603-027-00-1	107-21-1	203-473-3		1 - 10%	Xn; R22

### 3. HAZARDS IDENTIFICATION

Main hazards No Significant Hazard

### 4. FIRST AID MEASURES

**Inhalation** Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.

**Eye contact** Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

**Skin contact** Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist..

**Ingestion** Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist.  
 DO NOT INDUCE VOMITING.

### 5. FIRE FIGHTING MEASURES

**Extinguishing media** Carbon dioxide (CO2).  
**Special hazards** Burning produces irritating, toxic and obnoxious fumes.  
**Advice for fire-fighters** Wear suitable respiratory equipment when necessary.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precaution</b>	Avoid raising dust. Ensure adequate ventilation of the working area. Wear suitable protective equipment.
<b>Environmental precautions</b>	Do not allow product to enter drains. Prevent further spillage if safe.
<b>Cleaning up</b>	Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

## 7. HANDLING AND STORAGE

<b>Handling</b>	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
<b>Storage</b>	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Mono ethylene glycol	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m <sup>3</sup> : 10 WEL 15 min limit mg/m <sup>3</sup> : -
Mono ethylene glycol (Ethane-1,2-diol particulate)	WEL 8-hr limit ppm: 20 WEL 15 min limit ppm: 40	WEL 8-hr limit mg/m <sup>3</sup> : 52 WEL 15 min limit mg/m <sup>3</sup> : 104

<b>Appropriate engineering controls</b>	Ensure adequate ventilation of the working area.
<b>Individual protection measures</b>	Wear chemical protective clothing.
<b>Eye / face protection</b>	Approved safety goggles.
<b>Skin / Hand protection</b>	Chemical resistant gloves (PVC).
<b>Respiratory protection Wear</b>	Suitable respiratory equipment.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>State</b>	Solid
<b>Colour</b>	Blue
<b>Odour</b>	Odourless
<b>PH</b>	9+/-0.5

## 10. STABILITY AND REACTIVITY

<b>Chemical stability</b>	Stable under normal conditions.
---------------------------	---------------------------------

## 11. TOXICOLOGICAL INFORMATION

May cause sensitisation by skin contact.

## 12. ECOLOGICAL INFORMATION

No known adverse environmental effects.

## 13. DISPOSAL CONSIDERATIONS

Dispose of in compliance with all local and national regulations

## 14. TRANSPORT INFORMATION

The product is not classified as dangerous for carriage

## 15. REGULATORY INFORMATION

Risk phrases No Significant Hazard.

## 16. OTHER INFORMATION

### Text of risk phrases in Section 3

- R22 - Harmful if swallowed.
- R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.
- R34 - Causes burns.
- R35 - Causes severe burns.
- R41 - Risk of serious damage to eyes.
- R43 - May cause sensitisation by skin contact.
- R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. As the application of products is outside our control, the information is given without legal responsibility. Customers should test under their own conditions to ensure the products are suitable for their own requirements.